THE KANSAS UNIVERSITY SCIENCE BULLETIN.

Vol. III, No. 3 — October, 1905.
(Whole Series, Vol. XIII, No. 3.)

CONTENTS:

LIST OF SPIDERS IN THE ENTOMOLOGICAL COLLECTION OF THE KANSAS STATE UNIVERSITY, ... *Theo. H. Scheffer.*

PUBLISHED BY THE UNIVERSITY,

LAWRENCE, KAN.

Entered at the post-office in Lawrence as second-class matter.

KANSAS UNIVERSITY SCIENCE BULLETIN.

VOL. III, No. 3. OCTOBER, 1905. {WHOLE SERIES, VOL. XIII, NO. 3.

LIST OF SPIDERS IN THE ENTOMOLOGICAL COLLECTION OF THE KANSAS STATE UNIVERSITY.

BY THEO. H. SCHEFFER.

THE following brief list includes fifty-nine species of Kansas spiders, representing thirty-three genera and ten families. The material has accumulated incidentally in collecting insects, and offers, therefore, only fractional representation of the Araneida of Douglas county, where most of the specimens were taken.

FAMILY DICTYNIDÆ.

DICTYNA.

D. foliacea Hentz (*Theridion*). Douglas county, June.

FAMILY THERIDIIDÆ.

TEUTANA.

T. triangulosa Walck. Douglas county, June to September.

STEATODA.

S. borealis Hentz. Douglas county, April and July.

THERIDION.

T. tepidariorum Koch. Douglas county, June, July, and September.

LATRODECTUS.

L. mactans Fabr. Clark county, June.

FAMILY ARGIOPIDÆ.

ARGIOPE.

A. trifasciata Forsk. Douglas county, September and October; Ford county, July (young).

ARANEUS.

A. benjamini Walck. (*Epeira*). Douglas county, August and September.
A. conspicellatus Walck. (*Epeira*). Douglas county, October.
A. insularias Hentz. Douglas county, October.
A. pegnia Walck. Douglas county, July.
A. strix Hentz. Douglas county, July.
A. frondosus Walck. (*Epeira*). Douglas county, September.

ARANEUS.

A. stellatus Walck. (*Plectana*). Douglas county, September to November.

A. trivittatus Keys. Douglas county, June to September; Clark county, June.

A. gibberosus Hentz (*Epeira*). Douglas county, July, August, and September.

A. arenatus Walck. (*Epeira*). Douglas county, August.

A. ocellatus Clerck. Douglas county, August.

A. pratensis Hentz (*Epeira*). Ford county, July.

ARGYROEPEIRA.

A. hortorum Hentz. Douglas county, June to August.

MICRATHENA.

M. gracilis Walck. (*Plectana*). Douglas county, July; Garnett, September.

M. reduviana Walck. (*Plectana*). Douglas county, August; Garnett, September.

M. sagittata Walck. (*Plectana*). Douglas county, June.

CYCLOSA.

C. conica Pallas. Douglas county, July.

TETRAGNATHA.

T. extensa Linn. (*Aranea*). Douglas county, March to July; Clark county, June.

FAMILY THOMISIDÆ.

XYSTICUS.

X. triguttatus Keys. Douglas county, July.

X. nervosus Banks. Douglas county, April.

X. gulosus Keys. Douglas county, September; Rossville, October.

MISUMENA.

M. asperata Hentz (*Thomisus*). Douglas, Clark and Ford counties, May to July; also, Douglas county, September.

M aleatoria Hentz (*Thomisus*). Douglas county, July and August.

TIBELLUS.

T. oblongus Walck. Douglas county, October.

PHILODROMUS.

P. vulgaris Hentz. Douglas county, June.

SYNÆMA.

S. parvula Hentz. Douglas county, June.

THANATUS.

T. rubicundus Keys. Douglas county, July.

FAMILY CLUBIONIDÆ.

ANYPHÆNA.

A. rubra Emerton. Douglas county, September.

A. gracilis Hentz (*Clubiona*). Douglas county, July.

MICARIA.

M. aurata Hentz (*Herpyllus*). Clark county, June.

TRACHELAS.

T. tranquilla Hentz. Douglas county, September.

FAMILY AGELENIDÆ.

AGELENA.

A. nævia Walck. Douglas county, August to October.

CORAS.

C. medicinalis Hentz (*Tegenaria*). Douglas county, March.

FAMILY PISAURIDÆ.

PISAURINA.

P. mira Walck. (*Dolomedes*). Douglas county, August (young) and September.

FAMILY LYCOSIDÆ.

LYCOSA.

L. kochii Keys. (*Tarentula*). Douglas county, March.

L. communis Emerton. Douglas county, July; Clark county, June.

L. nidicola Emerton. Douglas county, May to July and October; Chase county, September.

L. scutulata Hentz. Douglas county, May (young); Clark county, June (young).

L. cinerea Fabr. (*Araneus*). Douglas county, July.

PARDOSA.

P. lapidicina Emerton. Douglas county, July.

P. nigropalpis Emerton. Douglas county, June.

P. albopatella Emerton. Douglas county, May.

FAMILY OXYOPIDÆ.

OXYOPES.

O. salticus Hentz. Douglas county, July; Ford county, July.

FAMILY SALTICIDÆ.

PHIDIPPUS.

P. morsitans Walck. (*Attus*). Douglas county, June to September.

P. rufus Hentz. Clark county, June.

P. tripunctatus Hentz (*Attus*). Douglas county, July and October.

MARPTUSA.

M. familiaris Hentz (*Attus*). Douglas county, May and September.

HYCTIA.

H. pikei Peckham. Douglas county, October.

DENDRYPHANTES.

D. capitatus Hentz (*Attus*). Douglas county, June.

THIODINA.

T. puerpera Hentz (*Attus*). Douglas county, June.

PELLENES.

P. elegans Peckham. Clark county, June.

SAITIS.

S. pulex Hentz (*Attus*). Douglas county, July.

PHILÆUS.

P. militaris Hentz (*Attus*). Douglas county, July.

SUMMARY OF SPECIES.

Dictynidæ	1	Pisauridæ	1
Theridiidæ	4	Lycosidæ	8
Argiopidæ	19	Oxyopidæ	1
Thomisidæ	9	Salticidæ	10
Clubionidæ	4	Total number of species	59
Agelenidæ	2		